



The Figure 1988 is resistant to stress corrosion cracking and used on single, multi-boiler or calorifier installations.

Fitting a Three-way Vent Cock ensures a constant connection from the boiler or calorifier to the atmosphere.

The use of specially designed 3-way vent cock on multi-boiler vented hot water heating systems, ensures that there is always a direct connection from the boiler or calorifier to atmosphere, i.e. either to open vent or drain position, enabling maintenance to be carried out on individual boilers.



Nominal Size	Product Code	A	B	C	D	E
25mm (1")	VCN-1988-025	90	43	132	45	18
32mm (1-1/4")	VCN-1988-032	122	48	155	56	20
40mm (1-1/2")	VCN-1988-040	143	57	177	68	25
50mm (2")	VCN-1988-050	165	66	204	80	36

### Technical Data

Max pressure: 7 Bar  
 Max temperature: 93°C  
 Connections: BS EN 10226-1:2004 – Rp (Female)

### Materials

Body: Bronze (Gunmetal)  
 Plug: Bronze (Gunmetal)  
 Gland: Bronze (Gunmetal)

### Principle of operation


90° operation of the plug opens and closes vent as shown on the top of the spindle. The built-in stop only allows 90° movement.



### Typical Multi-Boiler System

The use of the Three Way Vent Cock for multi-boiler hot water installations can allow the use of a single vent pipe to serve any number of boilers. No boiler in the system can be left in an unvented condition irrespective of the selected settings of the valves.

At all times the vent valve ensures a full bore exit from the boiler to atmosphere. In operation, clockwise turning of the plug closes the drain and opens the vent. Anti-clockwise rotation of the handwheel opens the drain and closes the vent.




Please note Three-way Univents and Three-way Vent Cocks are interchangeable.

**Note:** The diagram shown is schematic and is not intended as a guide to the installation of the vent valves. It is essential that vent valves are fitted in accordance with the manufacturer's recommendations and comply with Health and Safety regulations etc.

### Material

Ref	Part	Material
1	Plug	Gunmetal
2	Gland Plate	Gunmetal
3	M12 Nut	Brass
4	M12 Stud	Brass
5	Gland Packing	Pilot Pack
6	Valve Body	Gunmetal



Certificate Number 9027  
ISO 9001:2015



**BE® Bonut Engineering Ltd**

Unit 12 Latham Close, Bredbury Industrial Park  
Stockport, Cheshire, SK6 2SD, United Kingdom  
Tel: +44 (0) 161 430 4000 Fax: +44 (0) 161 494 1461  
Email: sales@bonut.co.uk Website: www.bonut.co.uk

**DEREVE®**  
**brownall®**  
**RHODES®**